



Ernie Fletcher
Governor

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Timothy J. LeDonne
Commissioner
Department of Public Protection

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Mark David Goss
Chairman

John W. Clay
Vice Chairman

Caroline Pitt Clark
Commissioner

John Pierce
General Manager
Garrison-Quincy-Ky-O-Heights Water District
P. O. Box 279
Murphy's Lane
Garrison, KY 41141

November 8, 2007

RE: Case No. 2007-00476
Garrison-Quincy-Ky-O-Heights Water District
(Alternative Rate Filing Adjustment)

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received November 8, 2007 and has been assigned Case No. 2007-00476. In all future correspondence or filings in connection with this case, please reference the above case number.

If you need further assistance, please contact my staff at (502) 564-3940.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/rs